

Dust reduction via cyclone separation


Built-in flex pipe; allows user to stand 2-3m away while conveying coffee

Innovative stainless steel lance design

Customizable mounting plate integrates with any equipment

Powered by central vacuum or industrial vacuum box suction options

Universal Control box





PRODUCT SPECS

- Conveys 500kg roasted coffee or 1000kg green coffee per hour
- Premium food grade 304 stainless steel construction
- Food grade lightweight flex pipe

CONVEY AMOUNT (PER HOUR)

500 KG - ROASTED

1000 KG - GREEN



### PRODUCT SPECS

- Conveys 300kg roasted coffee (when destoning) or 1000kg green coffee per hour
- 51mm (2in) 304 Stainless Steel pipe
- Comes standard with 60 liter hopper. Configurable with 22, 150 and 230 liter hoppers.
- Premium food grade 304 stainless steel construction

CONVEY AMOUNT (PER HOUR)

**300 KG - ROASTED**

(When Performing Destoning)

**1000 KG - GREEN**

Dust reduction via  
cyclone separation

Quick disconnect fittings


Beautiful sight glass

Universal Control box

Adjustable legs can be  
recessed

Customizable mounting  
plate integrates with any  
equipment

Powered by central  
vacuum or industrial  
vacuum box suction  
options



#### PRODUCT SPECS

- Conveys 500kg roasted coffee or 1000kg green coffee per hour
- 51mm (2in) 304 Stainless Steel pipe
- Comes standard with 60 liter hopper. Configurable with 22, 150 and 230 liter hoppers.
- Premium food grade 304 stainless steel construction

CONVEY AMOUNT (PER HOUR)

**500** KG - ROASTED

**1000** KG - GREEN